



The MSDS format adheres to the standards and regulatory requirements of the United States and may not meet regulatory requirements in other countries.

DuPont
Material Safety Data Sheet

Page 1

"DuPont" "TELAR" DF HERBICIDE - CA USE ONLY
M0000445 Revised 19-AUG-2004

CHEMICAL PRODUCT/COMPANY IDENTIFICATION

Material Identification

"TELAR" is a registered trademark of DuPont.

"DuPont" is a trademark of DuPont.

Tradenames and Synonyms

CHLORSULFURON 75XP

Company Identification

MANUFACTURER/DISTRIBUTOR

DuPont
1007 Market Street
Wilmington, DE 19898

PHONE NUMBERS

Product Information : 1-800-441-7515 (outside the U.S.
302-774-1000)
Transport Emergency : CHEMTREC 1-800-424-9300(outside U.S.
703-527-3887)
Medical Emergency : 1-800-441-3637 (outside the U.S.
302-774-1000)

COMPOSITION/INFORMATION ON INGREDIENTS

Components

Material	CAS Number	%
*CHLORSULFURON (2-CHLORO-N-[[4-METHOXY-6-METHYL-1,3,5-TRIAZIN- 2-YL)AMINO]CARBONYL]BENZENESULFONAMIDE)	64902-72-3	75
INERT INGREDIENTS		25

* Disclosure as a toxic chemical is required under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

HAZARDS IDENTIFICATION

Emergency Overview

CAUTION! MAY IRRITATE EYES, NOSE, THROAT OR SKIN. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

Potential Health Effects

Based on animal data, Telar DF Herbicide may cause eye irritation with discomfort, tearing, or blurring of vision.

Based on animal data, Telar DF Herbicide may cause skin irritation with discomfort or rash.

Carcinogenicity Information

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

FIRST AID MEASURES

First Aid

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

EYE CONTACT:

In case of contact, flush eyes with plenty of water. Call a physician if irritation persists.

INHALATION:

No specific intervention is indicated, as the compound is not likely to be hazardous by inhalation. Consult a physician if necessary.

INGESTION:

No specific intervention is indicated, as the compound is not likely to be hazardous by ingestion. Consult a physician if necessary.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

FIRE FIGHTING MEASURES

Flammable Properties

The material poses no explosion hazard in granular form.

Like most organic powders or crystals, under severe dusting conditions, this material may form explosive mixtures in air.

Extinguishing Media

Water Spray, Foam, Dry Chemical, CO2.

Fire Fighting Instructions

Wear self-contained breathing apparatus. Use water spray. Cool tank/container with water spray.

If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated.

ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Emergency Response - Chemical resistant coveralls, waterproof gloves, waterproof boots and face/eye protection. If dusting occurs, use NIOSH approved respirator protection.

Initial Containment

Dike spill. Prevent material from entering sewers, waterways, or low areas.

Spill Clean Up

Shovel or sweep up.

HANDLING AND STORAGE

Handling (Personnel)

Avoid breathing dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Do not store or consume food, drink or use tobacco in areas where they may become contaminated with this material.

(HANDLING AND STORAGE - Continued)

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Handling (Physical Aspects)

Keep away from heat, sparks and flames.

Storage

Store product in original container only. Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Use only with adequate ventilation.

Personal Protective Equipment

For non-agricultural use.
No PPE is specified;
however, avoid contact
with skin, eyes, and
clothing.

Exposure Guidelines

Applicable Exposure Limits

CHLORSULFURON	
PEL (OSHA)	: None Established
TLV (ACGIH)	: None Established
AEL * (DuPont)	: 10 mg/m ³ , 8 & 12 Hr. TWA

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

PHYSICAL AND CHEMICAL PROPERTIES

Physical Data

Solubility in Water	: Dispersible
pH	: 4.5 @ 1% suspension
Odor	: None
Form	: Solid
Color	: Tan
Specific Gravity	: 0.69 @ 25C (77F)
Density	: 0.64-0.74 g/mL

STABILITY AND REACTIVITY

Chemical Stability

Stable at normal temperatures and storage conditions.

Incompatibility with Other Materials

None reasonably foreseeable.

Polymerization

Polymerization will not occur.

TOXICOLOGICAL INFORMATION

Animal Data

Telar DF Herbicide

Oral LD50:	> 5000 mg/kg in rats (Very low toxicity)
Skin Absorption LD50:	> 2000 mg/kg in rabbits (Slightly to moderately toxic)

Telar DF Herbicide is a mild reversible skin irritant, and a moderate eye irritant, but is not a skin sensitizer in animals.

Chlorsulfuron

Inhalation 4 hour LC50: > 5.9 mg/L in rats
(Very low toxicity by inhalation)

The effects in animals from repeated exposures by inhalation to Chlorsulfuron include decreased weight gain, reversible kidney and spleen effects, and bone marrow changes.

Toxicity described in animals from the administration of a single dose of Chlorsulfuron include lung changes, weakness and other nonspecific effects. Repeated dosing caused decreased weight gain, and hematological and clinical chemical changes. Long-term dosing (500 ppm) resulted in decreased body weight gain, and slight hematological changes. Long-term dosing at even higher dose levels (2500 ppm) caused a slight decrease in fertility.

Animal testing indicates that Chlorsulfuron, the active ingredient, did not show carcinogenic effects. Developmental toxicity has been observed but only at maternally toxic dose levels.

Chlorsulfuron did not produce genetic damage in bacterial or mammalian cell cultures. It did not produce heritable genetic damage.

ECOLOGICAL INFORMATION

Ecotoxicological Information

AQUATIC TOXICITY:

CHLORSULFURON

96 hour LC50 - Sheepshead minnow: > 980 mg/L.

48 hour EC50 - Oysters: 385 mg/L.

AVIAN TOXICITY:

CHLORSULFURON Acute Oral LD50 - Mallard Duck: > 5000 mg/kg.

Acute Oral LD50 - Bobwhite Quail: > 5000 mg/kg

DISPOSAL CONSIDERATIONS

Waste Disposal

Do not contaminate water supply, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Container Disposal

Triple rinse (or equivalent) the container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

TRANSPORTATION INFORMATION

Shipping Information

DOT/IMO

Proper Shipping Name : Not Regulated

REGULATORY INFORMATION

U.S. Federal Regulations

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute : Yes
Chronic : No
Fire : No
Reactivity : No
Pressure : No

(REGULATORY INFORMATION - Continued)

In the United States this product is regulated by the US Environmental Protection Agency under the Federal Insecticide, Fungicide and Rodenticide Act. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

EPA Reg. No. 352-522

State Regulations (U.S.)

*****ATTENTION*****

CALIFORNIA PROPOSITION 65

THIS PRODUCT CONTAINS CHLORSULFURON A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

OTHER INFORMATION

NFPA, NPCA-HMIS

NFPA Rating
Health : 1
Flammability : 1
Reactivity : 0

NPCA-HMIS Rating
Health : 1
Flammability : 1
Reactivity : 0

Personal Protection rating to be supplied by user depending on use conditions.

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility for MSDS: DuPont Crop Protection
Address : Wilmington, DE 19898
Telephone : 1-888-638-7668

Indicates updated section.

This information is based upon technical information believed to be reliable. It is subject to revision as additional knowledge and experience is gained.

End of MSDS