

GRASS GETTER®

Postemergence Grass Herbicide

- For homeowner use on and around: Flowers, Evergreens, Ornamental Groundcovers, Bedding Plants, Shrubs, Trees, Fruits*, Vegetables* (*See Crop Table for specific crops).
- Systemic selective herbicide kills weedy grasses without injuring desirable plants.
- Controls: Bermudagrass, crabgrass, foxtails, quackgrass and many other weedy grasses.



Active Ingredient:

Sethoxydim: 2-[1-(ethoxymino) butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one**	18.0%
Other Ingredients:	82.0%
Total:	100.0%

**Equivalent to 1.5 pounds per gallon.

©Registered trademark of Lawn and Garden Products, Inc.

EPA Reg. No. 7969-58-54705

EPA Est. No. 48498-CA-1

ATTENTION: This product contains naphthalene which is a chemical known to the State of California to cause cancer.

Manufactured for:

LAWN AND GARDEN PRODUCTS, INC.

P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100
www.montereylawnandgarden.com

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

First Aid

If Swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center. Do not give anything by mouth to an unconscious person.
If On Skin Or Clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison center or doctor for treatment advice.
If In Eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357).

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Warning: Causes substantial but temporary eye injury. Do not get into eyes or on clothing. Harmful if swallowed.

Re-entry Statement

Do not allow people or pets to come into contact with treated areas until spray has dried.

Personal Protective Equipment

Some materials that are chemically resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Protective eyewear
- Shoes and socks

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not re-use them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal law.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.

GRASS GETTER® is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees. (See appendix for listing). It can be used through a hose-end sprayer according to the directions of the sprayers being used or through a tank-type sprayer.

GRASS GETTER® can also be used around listed fruit and vegetable areas (see Table 2) wherever listed weedy grasses occur. Use only tank type sprayers.

WEEDY GRASSES CONTROLLED: GRASS GETTER® kills most annual and hard-to-kill perennial grasses up to 1 foot high including the examples listed below in one (or two) application(s). Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds which may require a repeat application for control. Adding oil concentrate may help control of grassy weeds.

Barnyardgrass	Orchardgrass, Seedling
Bermudagrass	Quackgrass
Broadleaf Signalgrass	Tall Fescue, Seedling
Crabgrass (Large, Smooth)	Texas Panicum
Fall Panicum	Shattercane/Wildcane
Foxtails (Giant, Green, Yellow)	Wild Proso Millet
Goosegrass	Wirestem Muhly
Johnsongrass (Seedling, Rhizome)	Witchgrass
Junglerice	Woolly cupgrass
Lovegrass	

Note: This product does not control sedges (including nutsedge or nutgrass), annual bluegrass, or broadleaf weeds. Red fescue, chewing fescue, hard fescue, and dichondra turfs are also tolerant of GRASS GETTER®.

WHEN TO APPLY: Apply any time grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. Do not mow or cut off tops of weeds before spraying. Do not apply if rainfall is expected within one hour following application. Growth of treated grasses stops soon after application. They turn yellow and die within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slows activity.

HOW TO APPLY WITH HOSE-END SPRAYERS

A. No Water Dilution/Premixing Needed.

Determine how much area is to be treated in square feet. Pour 1 fluid ounce of GRASS GETTER® and 1 fluid ounce of oil concentrate in the hose-end sprayer bottle for each 1800 square feet to be treated. Set the sprayer dial to apply as close to 1 fluid ounce per gallon as possible. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

B. Water Dilution/Premixing Needed.

Some hose-end applicators recommend that liquid products be premixed with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for making treatments at 1 fluid ounce per 1800 square feet. Clean the sprayer after use according to the sprayer instructions.

WITH TANK SPRAYERS:

Mix 1 fluid ounce of GRASS GETTER® plus 1 fluid ounce of oil concentrate per 1 gallon of water and spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1800 square feet of area. Wash sprayer by flushing soapy water and then clean water through the sprayer.

IMPORTANT: For spot treating grassy weeds near lawns and around any sensitive plants, a tank type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash off foliage immediately with water.

TABLE 1. DILUTION TABLE

Amount of GRASS GETTER® (concentrate) and Oil Concentrate to use.

Water to be Used (gallons)	Amount of Grass Getter®		Amount of Oil Concentrate*		Coverage In Square Feet
	Fluid Ounces	Tablespoons	Fluid Ounces	Tablespoons	
1	1	2	1	2	1,800
3	3	6	3	6	5,500
5	5	10	5	10	9,100
8	8	16	8	16	14,600

One gallon of spray will treat 1,800 square feet of area.

*To prevent leaf burn of desirable plants, do not use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

FOR USE ON FLOWERS, BEDDING PLANTS, EVERGREENS, SHRUBS, TREES

AND ORNAMENTAL GROUNDCOVERS: GRASS GETTER® may be applied “over-the-top” of desirable plants infested by weedy grasses or as a directed spray to weedy grasses when label directions are followed. Do not exceed dosage rate per gallon of spray. See Appendix for tolerant plant listing.

Most ornamental species tested have been found tolerant of GRASS GETTER®; however, use with caution around the following plants as they may be damaged if foliage is contacted by the spray: Azaleas (var. snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak and White Oak and ornamental grasses.

GRASS GETTER® may also be used on the following Non-Bearing food plants. Do not apply within 1 year of harvest.

Avocados	Olives	Pomegranates
Dates	Plums	Prunes
Figs		

FOR USE ON FRUIT AND VEGETABLE AREAS (Use Only with Tank Type Sprayers):

GRASS GETTER® may be used on the fruits and vegetables listed in the FRUIT AND VEGETABLE TABLE. Do not apply on or around any fruit or vegetable not listed on this label, especially sweet corn. Applications on and around tolerant vegetables and fruit should be applied with only a tank type sprayer. A second application may be made to all listed vegetables and fruits except peanut and strawberry.

The quantities presented in the DILUTION TABLE do not exceed the registered rates for the fruits and vegetables listed. Do not exceed the quantities presented.

TABLE 2. FRUIT AND VEGETABLE VARIETIES

CROP	Minimum time from last application to harvest
Apple	14 days
Apricot	25 days
Artichoke (California Only)	7 days
Asparagus	1 day
Beans, dry	30 days
Beans, green	15 days
Beet (garden)	60 days
Blackberry	45 days
Blueberry*	30 days
Broccoli	30 days
Cabbage	30 days
Cantaloupe	14 days
Carrots	30 days
Cauliflower	30 days
Celery	30 days
Cherries (sweet and sour)	25 days
Citrus	15 days
Crabapple	14 days
Cranberries*	60 days
Cucumber	14 days
Eggplant	20 days
Endive (Florida only)	15 days
Grape	50 days
Horseradish	60 days
Lentils*	50 days
Lettuce, head	30 days
Lettuce, leaf	15 days
Loganberry	45 days
Mint	20 days
Muskmelon	14 days
Nectarine	25 days
Onion, garlic	30 days
Peach	25 days
Peanut+	40 days
Pear	14 days
Peas, green	15 days
Peas, dry	30 days
Pepper	20 days
Potato	30 days
Pumpkin	14 days
Quince	14 days
Raspberry	45 days
Spinach	15 days
Squash (all)	14 days
Strawberry+	7 days
Tomato	20 days
Tree Nuts	15 days
Watermelon	14 days

*Not for use in California

+Use no more than one (1) application per season. Up to two (2) applications per season may be made on all other plants

APPENDIX

Trees

Listed by common name

Acacia, Knife Leaf	Myoporum
Arborvitae, Eastern (var. Teehny)	New Zealand Christmas Tree
Arborvitae, Berkman's, Oriental	Oak
Ash, Green	Oak, Water
Ash, Mountain	Oak, Willow
Ash, Mountain	Olive Tree
Ash, White	Olive, Russian
Basswood, American	Orchid Tree, Purple
Berkman's, Oriental	Osage Orange
Birch	Palm, Mediterranean fan
Birch, Asian White (var. Japonica)	Palm, Pygmy Date
Birch, European White	Palm, Queen
Birch, paper	Palm, Sago
Birch, River, Black or Red	Palm, Windmill
Black Locust	Palo Verde, Green
Bottle brush	Paulownia, Royal
Bottle Tree	Pear, Common
Brisbane Box Tree	Pear, Evergreen
Cajeput Tree	Pear, Ussurian
Carob Tree	Pepper, Brazilian
Carrot Wood	Pine, Aleppo
Catalpa, Southern	Pine, Austrian
Cherry, Black	Pine, Canary Island
Cherry, Carolina	Pine, Caribbean Slash
Crabapple, Flowering (var. Dalgo,	Pine, Italian Stone
Radiant, Red Splendor, Royalty,	Pine, Jack
Vanguard, Sylvestris, Domestic)	Pine, Japanese Black
Cypress, False	Pine, Loblolly
Cypress, Leyland	Pine, Mugho
Cypress, Italian	Pine, Ponderosa, Western Yellow
Dogwood, Flowering	Pine, Red
Dogwood, Silky	Pine, Scotch
Dogwood, Pagoda	Pine, Shore
Elm, Chinese Evergreen	Pine, Slash
Eucalyptus	Pine, Southern
Fir	Pine, Virginia
Fir, Douglas	Pine, White
Fir, Frasier	Pine, White, Japanese
Fir, White	Pine, Yew
Goldenrain Tree	Plum, Wild
Guava	Poplar, Hybrid
Guava, Pineapple	Poplar, Yellow, Tulip Tree
Gum, Blue	Purpleleaf, Bailey Acacia
Gum, Lemon-scented	Redwood, Coast
Gum, Red Box	Sandcherry, Western
Hackberry, Common	Sensitive Plant
Hemlock, Canadian	Silk Tree
Holly, Chinese (var. Bufordii, Rotunda)	Spruce, Black Halls (var: Densata)
Holly, Hybrid (var: Nellie Stevens)	Spruce, Colorado Blue
Holly, Japanese (var. Convexa,	Spruce, Norway
Compacta, Helli, Hoogendorn)	Spruce, White
Holly, Yaupon	Strawberry Tree
Ironbark, Red	Sumac, Standard, African
Jacaranda	Sweet Gum
Kentucky Coffee Tree	Sycamore
Larch, European	Tea Tree, Australian
Laurel, Indian	Tipu Tree
Linden	Walnut, Black
Linden, Littleleaf	Weeping Fig, Exotica
Locust, Honey	Willow
Loquat	Willow, Australian
Magnolia, Southern	Willow, Desert
Maple, Red	Willow, Peppermint
Maple, Japanese	Yate, Bushy
Maple, Silver	Yew, English
Mimosa Tree	

Shrubs

Listed by common name

Abelia, Glossy	Buckthorn, Glossy, Alder
Acacia, Bailey	Camellia
Acacia, Knife Leaf	Cedar, Eastern Red (var. Pyramidiformis caneari)
Acacia, Prostrate	Cherry, Brush
Acacia Sydney Golden Wattle	Cherry, Manchu
Andromeda	Chokecherry sp.
Arborvitae, Oriental	Copper Plant, Caribbean
Arrowood, Southern	Cotoneaster, Bearberry
Azalea, Mollis hybrid	Cotoneaster, Cranberry
Azalea, Northern lights hybrid	Cotoneaster, Peking
Bamboo, Heavenly	Coyote Bush
Barberry, Japanese	Cranberry Bush, American
Barberry, Korean	Cranberry Bush, Golden
Barberry, Redleaf	Crape Myrtle
Bird of Paradise Bush	Current, Alpine
Bluebeard	Dogwood, Red Osier
Boxwood, Common	Elaeagnus
Boxwood, African	Escallonia
Boxwood, Japanese (var. Japonica)	

Shrubs

Listed by common name (continued)

Euonymus, Evergreen (var. Golden, Silver King)
 Euonymus, Winged
 Fig, Creeping
 Firethorn
 Forsythia, Greenstem
 Flax, New Zealand
 Fuchsia, Australian
 Gardenia
 Gardenia (var. Mystery, Radicans)
 Gardenia (var. Veitchii)
 Gold Vine, Guinea
 Hakea
 Hawthorn, Indian
 Hibiscus, Blue
 Hibiscus, Chinese
 Holly, Dwarf Burford
 Honeysuckle, Bush
 Honeysuckle, Cape
 Hydrangea
 Jasmine, Asiatic
 Jasmine, Orange
 Jasmine, Star
 Jasmine, Winter
 Jessamine, Carolina
 Jojoba
 Juniper, Chinese (var. Maneyi, Old Gold, Pfitzeriana, Sea Green, Hetzii, Nana, Torulosa, Pfitzerana Aurea, Pfitzer, Golden Pfitzer)
 Juniper, Creeping (var. Bluechip, Huges, Plumosa, Prince of Wales, Webberi, Wiltonii, Bar Harbor, Andorra, Variegata, Youngstown Blue Rug)
 Juniper, Ozark
 Juniper, Rocky Mountain (var. Blue Heaven, Welchii, Wishita Blue, Medova, Moffet, Pyamidas, Green, Springtime, Admiral)
 Juniper, Savin (var. Skandia, Arcadia, Broadmoor, Buffalo, Pepin)
 Juniper, Shore (var. Compacta)
 Juniper, Tam (var. Tamariseifolia)
 Lantana, Purple Trailing
 Laurustinus
 Lemonade Berry
 Lilac, Common Purple
 Liriope, Green
 Liriope, Variegated
 Mickey Mouse Bush
 Mirror Plant
 Mock Orange
 Mountain Lilac, Carmel Creeper
 Myrtle, Dwarf
 Nandina, Heavenly Bamboo
 Nannyberry

Ninebark
 Ninebark (var. Aureus)
 Oleander
 Orchid, rockrose
 Oregon Grape
 Osmanthus, Holly-leaf
 Osmanthus, Sweet Olive
 Palm, Natal (var. Green Carpet Tuttle)
 Pampas Grass
 Photinia
 Photinia, Fraser
 Pink Lady
 Pink Powder Puff
 Pittosporum, Variegated Japanese
 Plumbago, Cape
 Podocarpus, Yew
 Princess Flower
 Privet
 Privet, Glossy (var. Lake Tresca)
 Privet, Japanese, Waxleaf
 Privet, Texas
 Purple Hop Bush
 Pyracantha
 Rhododendron - Azalea (var. Hinocrimson, Hershey Red, Coral Blue, Hinodigiri, Christmas Cheer, Pink Ruffle, Formosa Flame, Delaware Valley White, New White)
 Sandcherry, Purpleleaf
 Serviceberry, Allegheny
 Serviceberry, Saskatoon (var. Regent)
 Silver King
 Sky Flower, Brazilian
 Snowball Bush
 Spindle Tree
 Spirea
 Spirea (var. Anthony Waterer, Froebellii, Goldflame)
 Spirea (var. Fairy Queen)
 Spirea (var. Snowbound)
 Star Plant, Lavender
 Tea Tree, Australian
 Tea Tree, New Zealand (var. Red Glow)
 Texas Ranger
 Toyon, California Holly
 Trumpet Vine, Pink
 Veronica (var. Coed)
 Viburnum, Japanese
 Viburnum, Sandankwa
 Wayfaring Tree
 Weeping Fig, Exotica
 Wheelers Dwarf, Variegated (var. Wheller)
 Yellow Bells
 Yesterday-Today-and-Tomorrow
 Yew

Ornamentals, Bedding Plants

Listed by common name (continued)

Lilac, Chinese
 Lilac, Common Purple (var. Charles Joly, Ludwig Spaeth, Jay Tree)
 Lilac, Meyer (var. Palibin)
 Lilac, Korean (var. Miss Kim)
 Lilac, Mountain
 Lily-of-the-Nile, Peter Pan
 Lily-of-the-Valley
 Lobelia
 Marigold
 Mirror Plant
 Mirror Plant, Varigated
 Moneywort
 Moss, Rose
 Moss, Sandwort
 Pansy, Johnny-Jump-Up
 Pepper, Ornamental
 Periwinkle, Madagascar
 Periwinkle
 Petunia
 Phlox, Perennial
 Plantain Lily
 Purple Loosestrife (var. Morden's Gleam)
 Raspberry Ice

Sage
 Sea Pinks, Thrift
 Sedum, Stonecrop
 Shrimp Plant
 Sky Flower, Brazilian
 Snail Vine
 Snapdragon
 Speedwell, Spike
 Stative, Perennial
 Stock
 Sweet Grass
 Sweet William
 Transvaal Daisy
 Trumpet Vine, Blood red
 Trumpet Vine, Lavender
 Trupmet Vine, Pink
 Tulip
 Verbena
 Wandering Jew
 Wisteria
 Yarrow (var. Cerise Queen)
 Yarrow, Debutante
 Yellow Trumpet
 Zinnia

Ground Covers

Listed by common name

Aaron's Beard
 Aptenia (var. Red Apple)
 Bergenia, Winter-blooming
 Bugleweed
 Capweed
 Carpathian, Harebell
 Cinquefoil, Spring
 Coyote Brush (var. Twin Peaks)
 Crown Vetch
 Cushion Bush
 Daisy, Trailing African, Freeway
 Daisy, White African
 Gazania, Trailing
 Green Carpet
 Ivy, Algerian
 Ivy, Boston
 Ivy, English
 Ivy, Grape (var. Ellen Danica)

Ivy, Hahn's (var. Hahnii)
 Lantana, Lavender
 Lily Turf, Big Blue
 Lippia
 Mondo Grass
 Myoporum (var. Prostratum)
 Pachysandra
 Periwinkle
 Plumbago, Dwarf
 Pork and Beans
 Rosea Ice Plant
 Rosemary, Dwarf (var. Prostratus)
 Rupture Wort
 St. Johnswort, Creeping
 Stonecrop, Sedum
 Verbena
 Verbena, Blue

Ornamentals, Bedding Plants

Listed by common name

Alyssum
 Asparagus, Myers (var. Meyeri)
 Asparagus, Sprenger (var: Sprenger)
 Aster, New York
 Aster, Stokes (var. Blue, White)
 Baby's Breath (var. Bristo Fairy)
 Begonia
 Bellflower, Tussock (var. Canterbury Bells)
 Bittersweet, American
 Black-eyed Susan (var. Goldilocks)
 Bleeding Heart
 Bower Vine
 Butterfly Weed
 Cactus, Barrel
 Candytuff
 Canna
 Cassia, Feathery
 Chrysanthemum Marguarite
 Cockscomb
 Coleus
 Coneflower, Purple (var. Gloriosa Dairy)
 Coral Bells
 Coreopsis (var. Sunray)
 Cup of Gold Vine
 Daffodil
 Dahlia
 Daisy Bush
 Daisy, Blue
 Daisy, Shasta (var. Alaska)
 Daylily
 Dianthus

Dragonhead, False
 Dusty Miller
 Fern, Sprenger Asparagus
 Fescue, Blue
 Flowering tobacco
 Fountain Grass, Red
 Gazania
 Geranium
 Geranium, Martha Washington
 Gerbera Daisy
 Geum (var. Lady Strathedon, Mrs. Bradshaw, Mrs. Bradshaw Improved)
 Gladiolus
 Heather, False
 Honeysuckle, Amar
 Honeysuckle, Fly (var. Emerald Mound, Clavey's Dwarf)
 Honeysuckle, Japanese
 Honeysuckle, Morrow
 Honeysuckle, Tatarian (var. Zabeli)
 Hopseed Bush, Purple
 Impatiens
 Iris
 Iris, African
 Ivy, Grape (var. Ellen Danica)
 Jack-in-the-Pulpit
 Jade Plant
 Jasmine, Madagascar
 Lamb's Ears
 Lavender, English
 Lavender, French
 Lavender, Cotton

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute spray into food, feed or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all liability, including personal injury and property damage, which may result from the use of this product in a manner inconsistent with labeling directions. If these terms are not acceptable, return at once unopened.

CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Lawn and Garden Products, Inc. or the Seller. All such risks shall be assumed by the Buyer.

Lawn and Garden Products, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks referred to above. Lawn and Garden Products, Inc. makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty. In no case shall Lawn and Garden Products, Inc. or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. Lawn and Garden Products, Inc. and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Lawn and Garden Products, Inc.