



**Material Safety Data Sheet**

**SUSPEND® SC INSECTICIDE**

MSDS Number: 102000003167

MSDS Version 2.2

Revision Date: 01/29/2007

**SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION**

**Product Name** SUSPEND® SC INSECTICIDE  
**MSDS Number** 102000003167

Bayer Environmental Science  
 2 T.W. Alexander Drive  
 Research Triangle PK, NC 27709  
 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)  
 For Product Information call: 1-800-331-2867

**SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Deltamethrin	52918-63-5	4.75
1,2-Propanediol	57-55-6	15.20

**SECTION 3. HAZARDS IDENTIFICATION**

*NOTE: Please refer to Section 11 for detailed toxicological information.*

**Emergency Overview** Caution! Hazard to humans and domestic animals. Harmful if inhaled. Do not breathe vapours or spray mist. Contact with product may result in transient tingling and reddening of the skin. Remove and wash contaminated clothing before re-use.

**Physical State** liquid suspension

**Odor** none

**Appearance** white

**Routes of Exposure** Inhalation, Skin contact

**Immediate Effects**

**Skin** Contact with product may result in transient tingling and reddening of the skin.

**Inhalation** Harmful if inhaled. Do not breathe vapours or spray mist.

**Potential Environmental Effect** Extremely toxic to fish and aquatic invertebrates.

**SECTION 4. FIRST AID MEASURES**



**Material Safety Data Sheet**

MSDS Number: 102000003167  
MSDS Version 2.2

**SUSPEND® SC INSECTICIDE**

<b>General</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Eye</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Skin</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Notes to Physician Treatment</b>	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

**SECTION 5. FIRE FIGHTING MEASURES**

<b>Flash point</b>	not applicable
<b>Suitable Extinguishing Media</b>	Carbon dioxide (CO2), Dry chemical, Foam, Water
<b>Fire Fighting Instructions</b>	<p>Fight fire from upwind position. Evacuate personnel to safe areas. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.</p> <p>Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.</p>

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces. In case of spill, leak or emergency, use a NIOSH approved chemical cartridge-type respirator.
-----------------------------	---



**Material Safety Data Sheet**

MSDS Number: 102000003167  
MSDS Version 2.2

**SUSPEND® SC INSECTICIDE**

**Methods for Cleaning Up** Dike area to prevent runoff. Collect and transfer the product into a properly labelled and tightly closed container. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Decontaminate tools and equipment following cleanup.

**Additional Advice** Isolate area. Contaminated soil may have to be removed and disposed.

**SECTION 7. HANDLING AND STORAGE**

**Handling Procedures** Avoid contact with skin, eyes and clothing. Handle and open container in a manner as to prevent spillage. Smoking, eating and drinking should be prohibited in the application area.

**Storing Procedures** Store in original container. Do not contaminate water, food, or feed by storage or disposal. Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed.

**Work/Hygienic Procedures** Handle in accordance with good industrial hygiene and safety practice. Recommendations for exposure control/personal protection are intended for the manufacture, formulation and packaging of the product.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove and wash contaminated clothing before re-use.

**Min/Max Storage Temperatures** no data available

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**General Protection** Train employees in safe use of the product. Eye wash facility and safety shower should be available. Follow all label instructions.

**Engineering Controls** Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

**Eye/Face Protection** Chemical resistant goggles must be worn.

**Hand Protection** Chemical-resistant gloves made of waterproof material such as neoprene, butyl rubber, barrier laminate or nitrile rubber.

**Respiratory Protection** When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

**Exposure Limits**



**Material Safety Data Sheet**

**SUSPEND® SC INSECTICIDE**

MSDS Number: 102000003167  
MSDS Version 2.2

Pyrogenic (fumed) amorphous silica	112945-52-5	Z3	TWA	20 millions of particles per cubic foot of air
		Z3	TWA	0.8 mg/m3
		Remarks		The value is calculated from a specified equation using a value of 100%. Values lower than 100% will give higher exposure limits. See regulation for specific equation.
1,2-Propanediol	57-55-6	WEEL	TWA	10 mg/m3
		Form of exposure		Aerosol.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	white
<b>Physical State</b>	liquid suspension
<b>Odor</b>	none
<b>pH</b>	6.6 suspension in water  <= 7.0 (100 %) at 20 °C
<b>Specific Gravity</b>	1.05 at 20 °C
<b>Density</b>	approx. 1.053 g/cm <sup>3</sup> at 20 °C
<b>Boiling Point</b>	no data available
<b>Melting / Freezing Point</b>	no data available
<b>Water solubility</b>	immiscible
<b>Minimum Ignition Energy</b>	no data available
<b>Viscosity</b>	165 mPa.s at 20 °C

**SECTION 10. STABILITY AND REACTIVITY**

<b>Chemical Stability</b>	Stable under normal conditions.
<b>Incompatibility</b>	Strong oxidizing agents strong reducing agents
<b>Hazardous Decomposition Products</b>	Thermal decomposition can lead to release of: Carbon monoxide



**Material Safety Data Sheet**

MSDS Number: 102000003167  
MSDS Version 2.2

**SUSPEND® SC INSECTICIDE**

Carbon dioxide (CO<sub>2</sub>)

**SECTION 11. TOXICOLOGICAL INFORMATION**

Only acute toxicity studies have been conducted on this product as formulated. The non-acute information pertains to the active ingredient, deltamethrin technical.

<b>Acute Oral Toxicity</b>	male/female combined rat: LD50: > 15,000 mg/kg
<b>Acute Dermal Toxicity</b>	male/female combined rabbit: LD50: > 10,000 mg/kg
<b>Acute Inhalation Toxicity</b>	male/female combined rat: LC50: > 1.02 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. (actual)
	male/female combined rat: > 4.08 mg/l Exposure time: 1 h Determined in the form of a respirable aerosol. Extrapolated from the 4 hr LC50. (actual)
<b>Skin Irritation</b>	rabbit: No skin irritation.
<b>Eye Irritation</b>	rabbit: No eye irritation.
<b>Sensitization</b>	guinea pig: Non-sensitizing.
<b>Chronic Toxicity</b>	Deltamethrin caused neurobehavioral effects (e.g., tremors) in chronic toxicity studies in rats and dogs.

**Assessment Carcinogenicity**

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH**

None.

**NTP**

None.

**IARC**

Deltamethrin

52918-63-5

Overall evaluation: 3

**OSHA**

None.

**Reproductive & Developmental Toxicity**

**REPRODUCTION:** Deltamethrin was not a reproductive toxicant in multi-generation reproduction studies in rats.

**DEVELOPMENTAL TOXICITY:** Deltamethrin was not a primary developmental toxicant in developmental toxicity studies in rats and rabbits. Developmental effects (e.g., delayed ossifications) were observed in rabbits at the high-dose but



**Material Safety Data Sheet**

MSDS Number: 102000003167  
MSDS Version 2.2

**SUSPEND® SC INSECTICIDE**

were considered secondary to maternal toxicity.

**Neurotoxicity** Deltamethrin caused neurobehavioral effects (e.g., tremors) without correlating neuropathological changes in acute and subchronic neurotoxicity screening studies in rats.

**Mutagenicity** Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity to Fish** Oncorhynchus mykiss (rainbow trout)  
LC50: 0.00026 mg/l  
Exposure time: 96 h

Bluegill sunfish  
LC50: 0.00017 mg/l  
Exposure time: 96 h

**Acute Toxicity to Aquatic Invertebrates** Eastern Oyster  
LC50: 0.0082 mg/l  
Exposure time: 96 h

Mysidopsis bahia (mysid shrimp)  
LC50: 0.000001 mg/l  
Exposure time: 96 h

**Toxicity to other organisms** Bobwhite quail  
LD50: > 2,250 mg/kg

Bobwhite quail  
LC50: > 5,620 ppm

Mallard duck  
LC50: 8,039 ppm

**Stability in water** Half life: 55 - 65 h  
pH: 9.0

**Bioaccumulation** Bluegill sunfish BCF: 189 - 3,930

**Environmental Precautions** Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. For guidance, contact your State Water Board or Regional Office of the EPA. Retain and dispose of contaminated wash water.



**Material Safety Data Sheet**

**SUSPEND® SC INSECTICIDE**

MSDS Number: 102000003167  
MSDS Version 2.2

**SECTION 13. DISPOSAL CONSIDERATIONS**

**General Disposal Guidance** Do not contaminate water, food, or feed by disposal. Dispose in accordance with all local, state/provincial and federal regulations.

Follow advice on product label and/or leaflet. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal** Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke.

**SECTION 14. TRANSPORT INFORMATION**

PROPER SHIPPING NAME: Not DOT regulated  
NOTE: For transport purposes (49 CFR Part 173.132), the calculated 1-Hour LC50 (Rat) is: 4.08 mg/l.

**SECTION 15. REGULATORY INFORMATION**

**US Federal Regulations**

**TSCA list**

1,2-Propanediol 57-55-6

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

None.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

None.

**US States Regulatory Reporting**

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

1,2-Propanediol 57-55-6 MN, RI

**Canadian Regulations**

**Canadian Domestic Substance List**

1,2-Propanediol 57-55-6

**Environmental**



**Material Safety Data Sheet**

MSDS Number: 102000003167  
MSDS Version 2.2

**SUSPEND® SC INSECTICIDE**

**CERCLA**

None.

**Clean Water Section 307 Priority Pollutants**

None.

**Safe Drinking Water Act Maximum Contaminant Levels**

None.

**International Regulations**

**European Inventory of Existing Commercial Substances (EINECS)**

Deltamethrin	52918-63-5
1,2-Propanediol	57-55-6

**SECTION 16. OTHER INFORMATION**

NFPA 704 (National Fire Protection Association):

Health - 1      Flammability - 0      Reactivity - 0      Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated for general editorial purposes.

Revision Date: 01/29/2007

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.